

SAFETY DATA SHEET

FABSIL UNIVERSAL PROTECTOR AEROSOL

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name FABSIL UNIVERSAL PROTECTOR AEROSOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses WATER REPELLENT

1.3. Details of the supplier of the safety data sheet

Supplier Grangers International Ltd
Grange Close
Clover Nook Industrial Park
Alfreton
Derbyshire
DE55 4QT
United Kingdom
T: +44 (0) 1773 521521
F: +44 (0) 1773 521262
info@grangersinternational.co.uk

1.4. Emergency telephone number


Emergency telephone +44 (0)1773 521521 (MON-FRI 08.00-17.00 GMT)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Aerosol 1 - H222, H229

Health hazards STOT SE 3 - H336

Environmental hazards Not Classified

2.2. Label elements**Pictogram**

Signal word Danger

Hazard statements H222 Extremely flammable aerosol.
H229 Pressurised container: may burst if heated
H336 May cause drowsiness or dizziness.
EUH208 Contains Zirconium butanolate. May produce an allergic reaction.

Precautionary statements P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P261 Avoid breathing vapour/ spray.
P271 Use only outdoors or in a well-ventilated area.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

FABSIL UNIVERSAL PROTECTOR AEROSOL

Contains	NAPHTHA (PETROLEUM) HYDROTREATED HEAVY (<0.1% BENZENE)
Supplementary precautionary statements	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/ doctor if you feel unwell. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

NAPHTHA (PETROLEUM) HYDROTREATED HEAVY (<0.1% BENZENE)		30-60%
CAS number: 64742-48-9	EC number: 919-857-5	
Classification Flam. Liq. 3 - H226 STOT SE 3 - H336 Asp. Tox. 1 - H304		
Zirconium butanolate		<1%
CAS number: 1071-76-7	EC number: 213-995-3	
Classification Eye Irrit. 2 - H319 Skin Sens. 1 - H317		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Keep affected person under observation. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	Do not induce vomiting. Get medical attention. Give plenty of water to drink.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea. Irritating to respiratory system.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause severe eye irritation. May cause blurred vision and serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

FABSIL UNIVERSAL PROTECTOR AEROSOL

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Extremely flammable aerosol.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. NOTE! Use air-supplied respirators to protect against gases/fumes.

Special protective equipment for firefighters Self contained breathing apparatus and full protective clothing must be worn in case of fire. Wear self contained breathing apparatus and protective suit. In case of large fire or in confined or poorly ventilated spaces, wear full fire resistant protective clothing and self contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Provide adequate ventilation. Wear protective gloves, eye and face protection. Avoid inhalation of vapours and contact with skin and eyes. No smoking, sparks, flames or other sources of ignition near spillage. Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Keep out of confined spaces because of explosion risk.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid inhalation of vapours/spray and contact with skin and eyes. Do not use in confined spaces without adequate ventilation and/or respirator.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not smoke in work area. Provide eyewash station.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C.

Storage class Flammable compressed gas storage.

7.3. Specific end use(s)

FABSIL UNIVERSAL PROTECTOR AEROSOL

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Avoid inhalation of vapours and spray/mists. Mechanical ventilation or local exhaust ventilation may be required.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Wear protective gloves. Nitrile: Thickness >0.3mm - Permeation time according to EN 374-3: >60 minutes Polychloroprene. Thickness >0.7mm - permeation time according to EN 374-3: >60 minutes For prolonged or repeated contact: Nitrile: Thickness > 0.45mm - Permeation time according to EN 374-3: >480 minutes

Other skin and body protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Solvent.
Flash point	ca -80°C (isobutane-propane-butane)
Upper/lower flammability or explosive limits	upper (%v/v): 11.2; lower (%v/v): 1.4 (isobutane-propane-butane)
Solubility(ies)	Insoluble in water.
Auto-ignition temperature	ca 365°C (isobutane-propane-butane)
Explosive under the influence of a flame	Yes

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

FABSIL UNIVERSAL PROTECTOR AEROSOL

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Static electricity and formation of sparks must be prevented.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Carcinogenicity

Carcinogenicity Not applicable.

Reproductive toxicity

Reproductive toxicity - development Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

Target organs Central nervous system

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not known.

Aspiration hazard

Aspiration hazard Aspiration hazard if swallowed.

Inhalation

Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. Harmful: may cause lung damage if swallowed.

Skin contact

Prolonged contact may cause dryness of the skin.

Eye contact

May cause eye irritation.

SECTION 12: Ecological Information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Empty containers must not be punctured or incinerated because of the risk of an explosion.

SECTION 14: Transport information

FABSIL UNIVERSAL PROTECTOR AEROSOL

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS	F-D, S-U
ADR transport category	2
Tunnel restriction code	(D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Introduction to Local Exhaust Ventilation HS(G)37. Workplace Exposure Limits EH40. CHIP for everyone HSG228.

FABSIL UNIVERSAL PROTECTOR AEROSOL

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Technical Manager
Revision date	25/05/2017
Revision	13
Supersedes date	05/10/2016
SDS number	4675
Hazard statements in full	H222 Extremely flammable aerosol. H226 Flammable liquid and vapour. H229 Pressurised container: may burst if heated H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H336 May cause drowsiness or dizziness. EUH208 Contains Zirconium butanolate. May produce an allergic reaction.